

Tornillos allen



ACERO

INOX A2


INOX A4



TORNILLOS ALLEN

DIN 912 8.8 PV / ISO 4762 (EQUIVALENTE)

TORNILLO ALLEN PAVONADO



L \ M	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	36	42
6	●	●	●														
8	●	●	●	●													
10	●	●	●	●	●												
12	●	●	●	●	●												
14	●	●	●	●	●												
16	●	●	●	●	●	●	●										
18	●	●	●	●	●	●	●										
20	●	●	●	●	●	●	●	●									
22		●	●	●	●	●	●										
25	●	●	●	●	●	●	●	●	●								
30	●	●	●	●	●	●	●	●	●	●	●						
35	●	●	●	●	●	●	●	●	●	●	●	●					
40	●	●	●	●	●	●	●	●	●	●	●	●	●	●			
45		●	●	●	●	●	●	●	●	●	●	●	●	●	●		
50		●	●	●	●	●	●	●	●	●	●	●	●	●	●		
55		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
60		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

L \ M	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	36	42
65		●	●	●	●	●	●	●	●	●	●	●	●		●		
70		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
75			●	●	●	●	●	●	●	●	●	●	●		●		
80		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
90		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
100		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
110			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
120			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
130			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
140			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
150			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
160			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
170					●	●	●	●	●	●	●	●	●	●	●	●	
180			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
190						●	●	●	●	●	●	●	●		●	●	
200				●	●	●	●	●	●	●	●	●	●	●	●	●	●
220					●	●	●	●	●	●	●	●	●	●	●	●	●
240					●	●	●	●	●	●	●	●	●	●	●	●	●
250									●		●						
260					●	●	●	●	●	●	●	●	●	●	●	●	●
280					●	●	●	●	●	●	●	●	●	●	●	●	●
300					●	●		●	●	●	●	●	●	●	●	●	●
320											●	●	●		●	●	
340											●	●	●		●	●	●
360											●	●	●		●	●	
380											●	●	●		●	●	
400											●	●	●		●	●	●



FICHA TÉCNICA DISPONIBLE:

comercial@suministrosasensio.com


Tel.: 976 731 568



TORNILLOS ALLEN

DIN 912 8.8 ZN / ISO 4762 (EQUIVALENTE)

TORNILLO ALLEN ZINCADO



L \ M	3	4	5	6	8	10	12	14	16	18	20	24	30
6	●	●	●										
8	●	●	●	●									
10	●	●	●	●	●								
12	●	●	●	●	●								
14	●	●	●	●	●								
16	●	●	●	●	●	●	●						
18	●	●	●	●	●	●	●						
20	●	●	●	●	●	●	●	●					
22	●	●	●	●	●	●	●	●					
25	●	●	●	●	●	●	●	●	●				
30	●	●	●	●	●	●	●	●	●	●	●		
35	●	●	●	●	●	●	●	●	●	●	●		
40	●	●	●	●	●	●	●	●	●	●	●	●	
45		●	●	●	●	●	●	●	●	●	●	●	
50		●	●	●	●	●	●	●	●	●	●	●	
55		●	●	●	●	●	●	●	●	●	●	●	
60		●	●	●	●	●	●	●	●	●	●	●	●

L \ M	3	4	5	6	8	10	12	14	16	18	20	24	30
65		●	●	●	●	●	●	●	●	●	●	●	
70		●	●	●	●	●	●	●	●	●	●	●	●
75			●	●	●	●	●	●	●	●	●	●	
80		●	●	●	●	●	●	●	●	●	●	●	●
90		●	●	●	●	●	●	●	●	●	●	●	●
95					●								
100		●	●	●	●	●	●	●	●	●	●	●	●
110			●	●	●	●	●	●	●	●	●	●	●
120			●	●	●	●	●	●	●	●	●	●	●
130			●	●	●	●	●	●	●	●	●	●	●
140			●	●	●	●	●	●	●	●	●	●	●
150			●	●	●	●	●	●	●	●	●	●	●
160				●	●	●	●	●	●	●	●	●	●
170					●	●	●	●	●	●	●	●	●
180					●	●	●	●	●	●	●	●	●
190					●	●			●		●	●	●
200					●	●	●	●	●	●	●	●	●
220						●			●		●	●	
240									●		●	●	
260											●	●	
280											●	●	
300											●	●	



FICHA TÉCNICA DISPONIBLE:

comercial@suministrosasensio.com


Tel.: 976 731 568



TORNILLOS ALLEN

DIN 912 10.9 PV / ISO 4762 (EQUIVALENTE)

TORNILLO ALLEN PAVONADO



L \ M	6	8	10	12	16	20	24	30
16		●						
20	●	●	●	●				
25	●	●	●	●				
30	●	●	●	●	●			
35	●	●	●	●	●			
40	●	●	●	●	●	●		
45	●	●	●	●	●	●		
50	●	●	●	●	●	●	●	
55		●	●	●	●		●	
60		●	●	●	●	●	●	●
65			●	●	●	●	●	●
70			●	●	●	●	●	●
80			●	●	●	●	●	●
90				●	●	●	●	●
100				●	●	●	●	●
110					●	●	●	●
120					●	●	●	●



FICHA TÉCNICA DISPONIBLE:

comercial@suministrosasensio.com


Tel.: 976 731 568



TORNILLOS ALLEN

DIN 912 12.9 PV / ISO 4762 (EQUIVALENTE)

TORNILLO ALLEN PAVONADO



L \ M	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	36	42
6	●	●															
8	●	●	●	●													
10	●	●	●	●	●												
12	●	●	●	●	●												
14	●	●	●	●	●												
16	●	●	●	●	●	●											
18	●	●	●	●		●											
20	●	●	●	●	●	●	●										
25	●	●	●	●	●	●	●	●	●								
30	●	●	●	●	●	●	●	●	●	●	●						
33			●														
35	●	●	●	●	●	●	●	●	●	●	●	●					
40	●	●	●	●	●	●	●	●	●	●	●	●	●	●			
45		●	●	●	●	●	●	●	●	●	●	●	●	●			
50	●	●	●	●	●	●	●	●	●	●	●	●	●	●			
52									●								
55		●	●	●	●	●	●	●	●	●	●	●	●	●			
60		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	



L \ M	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	36	42
320											●		●		●	●	
330											●						
340											●		●		●	●	
360											●		●		●	●	
380											●		●		●	●	
400											●		●		●	●	
540															●		



FICHA TÉCNICA DISPONIBLE:

comercial@suministrosasensio.com


Tel.: 976 731 568



TORNILLOS ALLEN

DIN 913 45H PV / ISO 4026 (EQUIVALENTE)

TORNILLO ESPARRAGO ALLEN PUNTA PLANA PAVONADO



L \ M	2	3	4	5	6	8	10	12	14	16	18	20	22	24
3	●	●	●											
4	●	●	●	●	●									
5	●	●	●	●	●									
6	●	●	●	●	●	●	●							
7						●								
8	●	●	●	●	●	●	●							
10	●	●	●	●	●	●	●	●	●					
12	●	●	●	●	●	●	●	●	●	●				
14		●	●	●	●	●	●	●	●	●				
15			●				●	●						
16		●	●	●	●	●	●	●	●	●		●		
18		●	●	●	●	●	●	●						
20		●	●	●	●	●	●	●	●	●	●	●	●	●
25		●	●	●	●	●	●	●	●	●	●	●	●	●
30		●	●	●	●	●	●	●	●	●	●	●	●	●
35			●	●	●	●	●	●	●	●	●	●	●	●
40			●	●	●	●	●	●	●	●	●	●	●	●
45				●	●	●	●	●	●	●	●	●	●	●

L \ M	2	3	4	5	6	8	10	12	14	16	18	20	22	24
50				●	●	●	●	●	●	●	●	●	●	●
55					●	●	●	●	●	●	●	●	●	●
60					●	●	●	●	●	●	●	●	●	●
65								●	●	●	●	●	●	●
70						●	●	●	●	●	●	●	●	●
75								●	●	●	●	●	●	●
80						●	●	●	●	●	●	●	●	●
85										●				
90						●	●	●	●	●	●	●	●	●
95										●				
100						●	●	●	●	●	●	●	●	●
110										●		●		
135												●		
140											●	●		
150											●			



FICHA TÉCNICA DISPONIBLE:

comercial@suministrosasensio.com

Tel.: 976 731 568



TORNILLOS ALLEN

DIN 914 45H PV / ISO 4027 (EQUIVALENTE)

TORNILLO ESPARRAGO ALLEN PUNTA CÓNICA PAVONADO



L \ M	3	4	5	6	8	10	12	14	16	20
3	●									
4	●	●		●						
5	●	●	●	●						
6	●	●	●	●	●					
8	●	●	●	●	●	●				
10	●	●	●	●	●	●	●			
12	●	●	●	●	●	●	●			
14	●	●	●	●	●	●	●	●		
16	●	●	●	●	●	●	●	●	●	
20	●	●	●	●	●	●	●	●	●	●
25	●	●	●	●	●	●	●	●	●	●
30	●	●	●	●	●	●	●	●	●	●
35		●	●	●	●	●	●	●	●	●
40		●	●	●	●	●	●	●	●	●
45			●	●	●	●	●	●	●	●
50			●	●	●	●	●	●	●	●
55							●			
60				●	●	●	●	●	●	●

L \ M	3	4	5	6	8	10	12	14	16	20
70					●	●	●	●	●	●
80					●	●	●	●	●	●
90					●	●	●	●	●	●
100					●	●	●	●	●	●



FICHA TÉCNICA DISPONIBLE:

comercial@suministrosasensio.com


Tel.: 976 731 568



TORNILLOS ALLEN

DIN 915 45H PV / ISO 4028 (EQUIVALENTE)

TORNILLO ESPARRAGO ALLEN PUNTA PIVOTE PAVONADO



L \ M	3	4	5	6	8	10	12	14	16	18	20	24
3	●											
4	●	●										
5	●	●	●									
6	●	●	●	●								
8	●	●	●	●	●							
10	●	●	●	●	●	●						
12	●	●	●	●	●	●	●					
14	●	●	●	●	●	●	●					
16	●	●	●	●	●	●	●	●	●			
20	●	●	●	●	●	●	●	●	●		●	
25	●	●	●	●	●	●	●	●	●		●	●
30	●	●	●	●	●	●	●	●	●		●	●
35		●	●	●	●	●	●	●	●		●	●
40		●	●	●	●	●	●	●	●	●	●	●
45			●	●	●	●	●	●	●		●	●
50			●	●	●	●	●	●	●		●	●
55							●	●	●		●	●
60				●	●	●	●	●	●		●	●

L \ M	3	4	5	6	8	10	12	14	16	18	20	24
70					●	●	●	●	●		●	●
80					●	●	●	●	●	●	●	●
90					●	●	●	●	●		●	●
100					●	●	●	●	●		●	●
135											●	
150											●	



FICHA TÉCNICA DISPONIBLE:

comercial@suministrosasensio.com


Tel.: 976 731 568



TORNILLOS ALLEN

DIN 916 45H PV / ISO 4029 (EQUIVALENTE)

TORNILLO ESPARRAGO ALLEN PUNTA FILO ANULAR PAVONADO



L \ M	2	3	4	5	6	8	10	12	14	16	18	20	22	24
2	●													
3	●	●	●											
4	●	●	●	●										
5	●	●	●	●	●									
6	●	●	●	●	●	●								
8	●	●	●	●	●	●	●							
10	●	●	●	●	●	●	●	●						
12	●	●	●	●	●	●	●	●	●	●				
14		●	●	●	●	●	●	●	●	●	●			
15			●											
16		●	●	●	●	●	●	●	●	●	●	●		
18		●	●	●	●	●	●	●						
20		●	●	●	●	●	●	●	●	●	●	●	●	●
25		●	●	●	●	●	●	●	●	●	●	●	●	●
30		●	●	●	●	●	●	●	●	●	●	●	●	●
35			●	●	●	●	●	●	●	●	●	●	●	●
40			●	●	●	●	●	●	●	●	●	●	●	●
45				●	●	●	●	●	●	●	●	●	●	●

L \ M	2	3	4	5	6	8	10	12	14	16	18	20	22	24
50				●	●	●	●	●	●	●	●	●	●	●
55					●	●	●	●	●	●		●		●
60					●	●	●	●	●	●	●	●	●	●
65								●	●	●		●		
70						●	●	●	●	●	●	●	●	●
75								●	●	●		●		
80						●	●	●	●	●	●	●	●	●
90						●	●	●	●	●	●	●	●	●
100						●	●	●	●	●	●	●	●	●



FICHA TÉCNICA DISPONIBLE:

comercial@suministrosasensio.com


Tel.: 976 731 568



TORNILLOS ALLEN

DIN 6912 8.8 PV

TORNILLO ALLEN PAVONADO C/BAJA C/GUÍA



L \ M	4	5	6	8	10	12	16	20
6	●							
8	●	●	●					
10	●	●	●					
12	●	●	●	●				
16	●	●	●	●	●			
20	●	●	●	●	●	●		
25	●	●	●	●	●	●	●	
30	●	●	●	●	●	●	●	●
35	●	●	●	●	●	●	●	
40	●	●	●	●	●	●	●	●
45	●	●	●	●	●	●	●	●
50	●	●	●	●	●	●	●	●
55			●	●	●	●	●	●
60			●	●	●	●	●	●
70				●	●	●	●	●
80				●	●	●	●	●
90				●	●	●	●	●
100					●	●	●	●
110								●



FICHA TÉCNICA DISPONIBLE:

comercial@suministrosasensio.com


Tel.: 976 731 568



TORNILLOS ALLEN

ISO 7380 10.9 PV

TORNILLO ALLEN CABEZA REDONDA PAVONADO



L \ M	3	4	5	6	8	10	12
6	●	●					
8	●	●	●	●			
10	●	●	●	●	●		
12	●	●	●	●	●		
14	●	●	●	●	●		
16	●	●	●	●	●	●	
18		●	●	●	●	●	
20	●	●	●	●	●	●	●
22		●	●	●	●		
25	●	●	●	●	●	●	●
30	●	●	●	●	●	●	●
35		●	●	●	●	●	●
40		●	●	●	●	●	●
45			●	●	●	●	●
50		●	●	●	●	●	●
55				●	●	●	●
60				●	●	●	●

L \ M	3	4	5	6	8	10	12
65						●	●
70					●	●	●
75							●



FICHA TÉCNICA DISPONIBLE:

comercial@suministrosasensio.com



Tel.: 976 731 568



TORNILLOS ALLEN

ISO 7380 10.9 ZN

TORNILLO ALLEN CABEZA REDONDA ZINCADO



L \ M	3	4	5	6	8	10	12
6	●	●					
8	●	●	●	●			
10	●	●	●	●	●		
12	●	●	●	●	●	●	
14			●		●		
16	●	●	●	●	●	●	●
20	●	●	●	●	●	●	●
25	●	●	●	●	●	●	●
30	●	●	●	●	●	●	●
32				●			
35		●	●	●	●	●	
40		●	●	●	●	●	●
45			●	●	●	●	●
50			●	●	●	●	●
60				●	●	●	
70					●		
90							●
110							●



FICHA TÉCNICA DISPONIBLE:

comercial@suministrosasensio.com



Tel.: 976 731 568



TORNILLOS ALLEN

ISO 73802 10.9 PV

TORNILLO ALLEN PAVONADO CON ARANDELA INCORPORADA



L \ M	4	5	6	8	10
8		●	●		
10	●	●	●		
12	●	●	●		
16	●	●	●	●	
20	●	●	●	●	●
25			●	●	●
30			●	●	●
35			●	●	
40			●	●	
50				●	



FICHA TÉCNICA DISPONIBLE:

comercial@suministrosasensio.com


Tel.: 976 731 568



TORNILLOS ALLEN

ISO 73802 10.9 ZN

TORNILLO ALLEN ZINCADO CON ARANDELA INCORPORADA



L \ M	4	5	6	8	10
6			●		
8		●	●		
10	●	●	●		
12	●	●	●		
16	●	●	●	●	
20	●	●	●	●	●
25	●	●	●	●	
30		●	●	●	●
35			●	●	●
40			●	●	
50			●	●	
60			●		



FICHA TÉCNICA DISPONIBLE:

comercial@suministrosasensio.com


Tel.: 976 731 568



TORNILLOS ALLEN

DIN 7984 8.8 PV

TORNILLO ALLEN CABEZA BAJA PAVONADO



L \ M	3	4	5	6	8	10	12	14	16
6	●	●							
8	●	●	●	●					
10	●	●	●	●	●				
12	●	●	●	●	●				
14				●	●				
15	●								
16	●	●	●	●	●	●	●		
18	●	●	●	●	●	●			
20	●	●	●	●	●	●	●		
22				●					
25	●	●	●	●	●	●	●		●
30	●	●	●	●	●	●	●	●	●
35		●	●	●	●	●	●		●
40		●	●	●	●	●	●	●	●
45		●	●	●	●	●	●	●	●
50		●	●	●	●	●	●	●	●

L \ M	3	4	5	6	8	10	12	14	16
55				●	●	●	●		●
60				●	●	●	●	●	●
65							●		●
70					●	●	●	●	●
80					●	●	●	●	●
90					●	●	●		●
100					●	●	●		●
110							●		
120							●		
135				●					
170							●		



FICHA TÉCNICA DISPONIBLE:

comercial@suministrosasensio.com


Tel.: 976 731 568



TORNILLOS ALLEN

DIN 7991 10.9 PV

TORNILLO ALLEN CABEZA AVELLANADA PAVONADO



L \ M	3	4	5	6	8	10	12	14	16	18	20	22	24
6	●	●	●										
8	●	●	●	●									
10	●	●	●	●	●								
12	●	●	●	●	●	●							
14	●	●	●	●	●	●	●						
16	●	●	●	●	●	●	●	●					
18	●	●	●	●	●	●	●	●					
20	●	●	●	●	●	●	●	●					
25	●	●	●	●	●	●	●	●	●				
30	●	●	●	●	●	●	●	●	●	●			
35	●	●	●	●	●	●	●	●	●	●			●
40	●	●	●	●	●	●	●	●	●	●	●		
45		●	●	●	●	●	●	●	●	●	●		
50		●	●	●	●	●	●	●	●	●	●	●	●
55		●	●	●	●	●	●	●	●	●	●	●	
60		●	●	●	●	●	●	●	●	●	●		●
65				●			●						
70			●	●	●	●	●	●	●	●	●		●

	L	M	3	4	5	6	8	10	12	14	16	18	20	22	24
75													●		
80						●	●	●	●	●	●	●	●	●	●
85													●		●
90						●	●	●	●	●	●	●	●		●
100						●	●	●	●	●	●	●	●	●	●
110						●	●	●	●		●	●	●		●
120						●	●	●	●		●	●	●		●
125							●								
130								●			●	●	●		●
140											●	●	●		●
150											●	●	●		●
160													●		●
170													●		●
175											●				
180											●		●		
190											●				
200													●		
250											●				
270											●				
290											●				



FICHA TÉCNICA DISPONIBLE:

comercial@suministrosasensio.com




Tel.: 976 731 568



TORNILLOS ALLEN

DIN 7991 10.9 ZN

TORNILLO ALLEN CABEZA AVELLANADA ZINCADO



L \ M	3	4	5	6	8	10	12	14	16	18	20	36
6	●	●	●									
8	●	●	●	●								
10	●	●	●	●	●							
12	●	●	●	●	●	●						
14	●	●	●	●	●	●	●					
16	●	●	●	●	●	●	●					
18	●	●	●	●	●	●	●	●				
20	●	●	●	●	●	●	●					
25	●	●	●	●	●	●	●	●	●			
30	●	●	●	●	●	●	●	●	●			
35	●	●	●	●	●	●	●	●	●			
40	●	●	●	●	●	●	●	●	●			●
45		●	●	●	●	●	●	●	●			●
50		●	●	●	●	●	●	●	●	●		●
55		●	●	●	●	●	●	●	●			●
60		●	●	●	●	●	●	●	●	●		●
65			●	●	●		●		●			
70			●	●	●	●	●	●	●			●

L \ M	3	4	5	6	8	10	12	14	16	18	20	36
75											●	
80				●	●	●	●	●	●		●	
85											●	
90				●	●	●	●	●	●		●	
100				●	●	●	●	●	●		●	
110				●	●	●	●		●		●	
120				●	●	●	●		●		●	
130									●		●	
135						●						
140									●		●	
150									●		●	
180												●



FICHA TÉCNICA DISPONIBLE:

comercial@suministrosasensio.com

Tel.: 976 731 568




TORNILLOS ALLEN

DIN 912 / ISO 4762 (EQUIVALENTE)

TORNILLO "ALLEN" INOX.A2

A2



L \ M	2	3	4	5	6	8	10	12	14	16	18	20	22	24	30
6	●	●	●	●	●										
8		●	●	●	●										
10		●	●	●	●	●									
12		●	●	●	●	●	●								
14		●	●	●	●	●									
15							●								
16		●	●	●	●	●	●	●							
18			●		●										
20		●	●	●	●	●	●	●	●	●					
25		●	●	●	●	●	●	●	●	●	●				
30		●	●	●	●	●	●	●	●	●	●	●			
35		●	●	●	●	●	●	●	●	●	●	●	●		
40		●	●	●	●	●	●	●	●	●	●	●	●	●	
45		●	●	●	●	●	●	●	●	●	●	●	●	●	
50		●	●	●	●	●	●	●	●	●	●	●	●	●	●
55			●	●	●	●	●	●	●	●	●	●	●	●	
60			●	●	●	●	●	●	●	●	●	●	●	●	●
65				●	●	●	●	●	●	●	●	●	●	●	

	L	M	2	3	4	5	6	8	10	12	14	16	18	20	22	24	30
70					●	●	●	●	●	●	●	●		●		●	
75						●	●	●	●	●	●	●					
80					●	●	●	●	●	●	●	●		●		●	●
85						●											
90						●	●	●	●	●	●	●		●		●	●
100						●	●	●	●	●	●	●		●		●	
110							●	●	●	●	●	●		●		●	
120							●	●	●	●	●	●		●		●	
130								●	●	●	●	●		●		●	
140								●	●	●		●		●		●	
150								●	●	●		●		●		●	
160										●							
170										●							
235									●								
260									●								



FICHA TÉCNICA DISPONIBLE:

comercial@suministrosasensio.com

Tel.: 976 731 568





TORNILLOS ALLEN

ISO 7380

TORNILLO "ALLEN" CABEZA REDONDA INOX.A2

A2



L \ M	3	4	5	6	7	8	10
6	●	●					
8	●	●	●	●			
10	●	●	●	●		●	
12	●	●	●	●		●	●
14	●	●	●	●		●	
16	●	●	●	●		●	●
18		●	●	●		●	●
20	●	●	●	●		●	●
22		●	●	●		●	
25	●	●	●	●	●	●	●
30	●	●	●	●		●	●
35		●	●	●		●	●
40		●	●	●		●	●
45		●	●	●		●	●
50		●	●	●		●	●
55				●		●	●
60			●	●		●	●
65							●
70						●	●
80							●
100							●




TORNILLOS ALLEN

DIN 7991

TORNILLO "ALLEN" CABEZA AVELLANADA INOX.A2

A2



L \ M	3	4	5	6	8	10	12	14	16	20
6	●	●	●							
8	●	●	●	●						
10	●	●	●	●	●					
12	●	●	●	●	●					
14	●	●	●	●	●					
16	●	●	●	●	●	●				
18				●						
20	●	●	●	●	●	●	●			
22				●						
25	●	●	●	●	●	●	●			
30	●	●	●	●	●	●	●	●	●	
35	●	●	●	●	●	●	●	●	●	
40	●	●	●	●	●	●	●	●	●	●
45		●	●	●	●	●	●	●	●	●
50		●	●	●	●	●	●	●	●	●
55					●	●	●		●	
60			●	●	●	●	●	●	●	●
65					●					

L \ M	3	4	5	6	8	10	12	14	16	20
70			●	●	●	●	●	●	●	●
75					●					
80				●	●	●	●		●	
90				●	●	●	●		●	
100				●	●	●	●		●	
110				●						



FICHA TÉCNICA DISPONIBLE:

comercial@suministrosasensio.com


Tel.: 976 731 568



TORNILLOS ALLEN

DIN 912 / ISO 4762 (EQUIVALENTE)

TORNILLO "ALLEN" INOX.A4



L \ M	2	3	4	5	6	8	10	12	16	20	24
6	●	●	●	●	●						
8		●	●	●	●						
10		●	●	●	●	●					
12		●	●	●	●	●	●				
14			●		●						
15							●				
16		●	●	●	●	●	●	●			
20		●	●	●	●	●	●	●			
25		●	●	●	●	●	●	●	●		
30		●	●	●	●	●	●	●	●	●	
35		●	●	●	●	●	●	●	●	●	
40		●	●	●	●	●	●	●	●	●	
45			●	●	●	●	●	●	●	●	
50		●	●	●	●	●	●	●	●	●	●
55				●	●	●	●	●	●	●	
60			●	●	●	●	●	●	●	●	●

L \ M	2	3	4	5	6	8	10	12	16	20	24
65				●	●	●	●	●	●	●	
70			●	●	●	●	●	●	●	●	
75				●	●	●	●	●	●		
80				●	●	●	●	●	●	●	
85				●							
90				●	●	●	●	●	●	●	
100				●	●	●	●	●	●	●	
110					●	●	●	●		●	
120					●	●	●	●		●	
130						●	●	●		●	
140						●	●	●		●	
150						●	●	●		●	
160								●			
170								●			
235							●				
260							●				



FICHA TÉCNICA DISPONIBLE:

comercial@suministrosasensio.com

Tel.: 976 731 568




TORNILLOS ALLEN

ISO 7380

TORNILLO "ALLEN" CABEZA REDONDA INOX.A4

A4




L \ M	3	4	5	6	7	8	10
6	●	●					
8	●	●	●	●			
10	●	●	●	●		●	
12	●	●	●	●		●	
14	●	●	●	●		●	
16	●	●	●	●		●	●
18		●	●	●		●	●
20	●	●	●	●		●	●
22		●	●	●		●	
25	●	●	●	●	●	●	●
30	●	●	●	●		●	●
35		●	●	●		●	●
40		●	●	●		●	●
45			●	●		●	●
50		●	●	●		●	●
55				●		●	●
60			●	●		●	
70						●	



TORNILLOS ALLEN

DIN 7991

TORNILLO "ALLEN" CABEZA AVELLANADA INOX.A4



L \ M	3	4	5	6	8	10	12	14	16	20
6	●	●	●							
8	●	●	●	●						
10	●	●	●	●	●					
12	●	●	●	●	●	●				
14	●	●	●	●						
16	●	●	●	●	●	●				
20	●	●	●	●	●	●	●			
25	●	●	●	●	●	●	●			
30	●	●	●	●	●	●	●	●	●	
35		●	●	●	●	●	●	●	●	
40	●	●	●	●	●	●	●	●	●	●
45			●	●	●	●	●	●	●	●
50		●	●	●	●	●	●	●	●	●
55							●			
60			●	●	●	●	●	●	●	●
65						●				
70			●	●	●	●	●	●	●	●
75						●				
80				●	●	●	●		●	
90				●	●	●	●		●	
100				●	●	●	●		●	
110				●						